

12-2016

The Effect Of Education On Oral Health Students' Attitudes In Australia And New Zealand

Liyana Tanny
Charles Sturt University

Takashi Komabayashi
Clinical Professor, University of New England College of Dental Medicine, tkomabayashi@une.edu

D. Leann Long
West Virginia University

Yoshio Yahata
Showa University School of Dentistry

Susan M. Moffat
University of Otago

See next page for additional authors

Follow this and additional works at: http://dune.une.edu/cdm_facpubs

 Part of the [Dental Hygiene Commons](#), and the [Dental Public Health and Education Commons](#)

Recommended Citation

Tanny, Liyana; Komabayashi, Takashi; Long, D. Leann; Yahata, Yoshio; Moffat, Susan M.; and Tāne, Helen, "The Effect Of Education On Oral Health Students' Attitudes In Australia And New Zealand" (2016). *Dental Medicine Faculty Publications*. 8.
http://dune.une.edu/cdm_facpubs/8

This Article is brought to you for free and open access by the Dental Medicine Faculty Works at DUNE: DigitalUNE. It has been accepted for inclusion in Dental Medicine Faculty Publications by an authorized administrator of DUNE: DigitalUNE. For more information, please contact bkenyon@une.edu.

Authors

Liyana Tanny, Takashi Komabayashi, D. Leann Long, Yoshio Yahata, Susan M. Moffat, and Helen Tāne

The effect of education on oral health students' attitudes in Australia and New Zealand

Liyana Tanny¹, Takashi Komabayashi², D. Leann Long³, Yoshio Yahata^{4,5}, Susan M. Moffat⁶, Helen Tāne¹

¹School of Dentistry and Health Sciences, Charles Sturt University, Wagga Wagga, Australia,

²College of Dental Medicine, University of New England, Portland, ME, USA,

³Department of Biostatistics, School of Public Health, West Virginia University, Morgantown, WV, USA,

⁴Department of Endodontics, School of Dentistry, West Virginia University, Morgantown, WV, USA,

⁵Department of Conservative Dentistry, Division of Endodontology, Showa University School of Dentistry, Tokyo, Japan,

⁶Department of Oral Sciences, Faculty of Dentistry, University of Otago, Dunedin, New Zealand

Correspondence: Dr. Yoshio Yahata

Email:

yahataendo@dent.showa-u.ac.jp

ABSTRACT

Objective: The aim of this study was to evaluate the oral health attitudes and behavior of students in the oral health curriculum in Australia and New Zealand. **Materials and Methods:** The Hiroshima University Dental Behavioral Inventory was administered to students in the first (year 1) and final years (year 3) of the oral health curriculum at Charles Sturt University in Australia and the University of Otago in New Zealand. A total of fifty-two year 1 students and forty-five year 3 students completed English version of the questionnaire in 2013. The responses were statistically analyzed by Fisher's exact tests and exact logistic regression models. **Results:** The responses of students in years 1 and 3 differed significantly for "I worry about the color of my teeth" at Charles Sturt University and at the University Otago, for "I think my teeth are getting worse despite my daily brushing," "I put off going to the dentist until I have a toothache," and "I don't feel I've brushed well unless I brush with strong strokes." The estimated odds ratios from the exact logistic regression models showed that year 1 students were more likely to agree with ~~do not~~ four questions. **Conclusions:** Oral Health students who had been educated in a 3-year oral health curriculum in Australia and New Zealand had more positive attitudes and behaviors related oral health than did students at the beginning of their curriculum.

Key words: Curriculum, oral health attitude, oral health behaviors

INTRODUCTION

The role of mid-level dental care providers is increasing in importance due to the need for oral health promotion and disease prevention.^[1] These workforce members can address the problem of access to care by means of complementary relationships with dentists, especially

in underserved areas. One model of a mid-level provider, called the dental therapist, is a registered professional who can provide certain facets of dental treatment, including preventive and restorative procedures.^[2,3] Nash *et al.* reported that 54 countries

This is an open access article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms.

For reprints contact: reprints@medknow.com

How to cite this article: Tanny L, Komabayashi T, Long DL, Yahata Y, Moffat SM, Tāne H. The effect of education on oral health students' attitudes in Australia and New Zealand. *Eur J Dent* 2016;10:491-5.

DOI: 10.4103/1305-7456.195178

Access this article online	
Quick Response Code: 	Website: www.eurjdent.com

are currently utilizing dental therapists.^[4] In some countries, the education of dental therapists and dental hygienists is combined in a 3-year undergraduate university curriculum leading to the Bachelor degree.^[4] The dual-qualification curriculum is usually called the oral health curriculum.^[2,5] In particular, in Australia, a dual-qualified dental therapists/hygienist is categorized as an oral health therapist under one registration.^[6] Figure 1 summarizes the historical transition of the qualifications for dental therapists and dental hygienists in Australia and New Zealand.^[2,6,7] These dual-qualified dental therapists/hygienists have accomplishments in a wide range of dental services involving diagnosing and recognizing oral conditions, planning and delivering preventive and restorative treatment, and collaborating with other dental and general health practitioners.^[7]

The Hiroshima University - Dental Behavioral Inventory (HU-DBI) is a questionnaire that consists of twenty items in a dichotomous format (agree/disagree) to observe oral health attitudes and behaviors regarding toothbrushing.^[8] The HU-DBI has been previously used to examine the oral health attitudes and behaviors of dental students^[9-16] and dental hygiene students.^[17-20] Before this study, the HU-DBI had not previously been applied to oral health students.

While completing the undergraduate curriculum, oral health students should present themselves as good oral health models. The aim of this study was to determine the oral health attitudes and behaviors of 1st and 3rd-year oral health students from Charles Sturt University, Australia and the University of Otago, New Zealand.

MATERIALS AND METHODS

This study was approved by the Institutional Review Board of Charles Sturt University (Approval #414/2013/04) and by the University of Otago Human Ethics Committee.




Figure 1: Historical transition of the qualification for dental therapists and dental hygienist in Australia and New Zealand

Oral health students' oral health-related behaviors and attitudes were measured by means of the HU-DBI questionnaire in the 1st year of the curriculum (year 1) and the final year of the curriculum (year 3) at Charles Sturt University, in Australia and the University of Otago, in New Zealand. Year 1 and year 3 oral health students at the two universities were participated in this survey and responded to English version of the HU-DBI questionnaire. A total of 52 students in year 1 and 45 students in year 3 answered in 2013.

We analyzed the responses for each university by comparing the data from the year 1 students with the data from the year 3 students, using the Fisher's exact tests. We applied exact logistic regression models to each HU-DBI question separately to examine whether year 1 students have oral health behaviors similar to those of year 3 dental students while accounting for discrepancies between universities. These exact methods are statistically conservative to prevent erroneous conclusions and are appropriate for this study size. Statistical significance level was set at 0.05. The data were analyzed with SAS 9.3 (SAS Institute, Inc., Cary, NC, USA).

RESULTS

Table 1 shows the frequencies and percentages of students and their mean age in year 1 and year 3. At Charles Sturt University, the average ages (standard deviation [SD]) of year 1 and year 3 respondents were 24.2 (8.1) and 25.5 (6.9) years old, respectively. At the University of Otago, the average ages (SD) of year 1 and year 3 respondents were 24.9 (8.0) and 23.7 (4.2) years old, respectively.

Table 2 shows the items on the HU-DBI questionnaire and the percentages of "agree" responses of the oral health students in year 1 and year 3 by university. The responses of the students in the two groups differed significantly only for question #3 at Charles Sturt University. The responses of the students in the two groups differed significantly to questions #8, #15, and #18 at the University of Otago.

Table 3 shows that the estimated odds ratios and 95% confidence intervals from the exact logistic regression models were significant for only four questions. It was more likely that, after adjustment for university, year 1 students would agree on questions #3, #8, #15, and #18. For question #3, year 1 students had 2.4 times the odds of worrying about the color of their teeth than did those in year 3 ($P = 0.03$). For

Table 1: Overview of the respondents' background characteristics

University	Year	Enrolled students	Responded students	Respond rate (%)			Mean age (SD)
				Male	Female	Total	
Charles Sturt University	1	24	22	100	87.5	91.7	24.2(8.1)
	3	16	14	100	84.6	87.5	25.5(6.9)
University of Otago	1	49	30	42.9	52.4	61.2	24.9(8.0)
	3	37	31	50.0	84.8	83.8	23.7(4.2)

SD: Standard deviation

Table 2: Items on the Hiroshima University Dental Behavioral Inventory and percentages of "agree" responses of dental students in year 1 and year 3

Number	Item descriptions	Charles Sturt University			University of Otago		
		Year 1	Year 3	P	Year 1	Year 3	P
1	I don't worry much about visiting the dentist	23	21	NS	33	26	NS
2	My gums tend to bleed when I brush my teeth	9	0	NS	10	0	NS
3	I worry about the color of my teeth	73	29	*	67	58	NS
4	I have noticed some white sticky deposits on my teeth	23	21	NS	40	39	NS
5	I use a child-sized toothbrush	9	14	NS	0	6	NS
6	I think that I cannot help having false teeth when I am old	27	14	NS	7	16	NS
7	I am bothered by the color of my gums.	5	14	NS	13	23	NS
8	I think my teeth are getting worse despite my daily brushing	9	0	NS	23	3	*
9	I brush each of my teeth carefully	91	86	NS	83	87	NS
10	I have never been taught professionally how to brush	18	14	NS	20	23	NS
11	I think I can clean my teeth well without using toothpaste	0	7	NS	13	3	NS
12	I often check my teeth in a mirror after brushing	100	79	NS	90	87	NS
13	I worry about having bad breath	55	64	NS	80	74	NS
14	It is impossible to prevent gum disease with toothbrushing alone	55	29	NS	63	48	NS
15	I put off going to the dentist until I have toothache	14	14	NS	33	6	*
16	I have used a dye to see how clean my teeth are	23	50	NS	77	81	NS
17	I use a toothbrush which has hard bristles	5	0	NS	3	3	NS
18	I do not feel I've brushed well unless I brush with strong strokes	9	0	NS	27	3	*
19	I feel I sometimes take too much time to brush myteeth	23	29	NS	20	19	NS
20	I have had my dentist tell me that I brush very well	73	93	NS	77	77	NS

*P<0.05, NS: Not significant

Table 3: Significant Hiroshima University-Dental Behavioral Inventory questions and odds ratios of agreement for year 1 versus year 3 students

Questionnaire number	OR	95% CI
3	2.41	1.05-5.51
15	3.36	1.04-10.86
8	11.19	1.30-477.61
18	13.07	1.51-113.38

OR: Odds ratio, CI: Confidence interval

question #15, year 1 students had 3.4 times the odds of putting off going to the dentist until experiencing pain than did year 3 students ($P = 0.03$). For question #8, year 1 students had more than 11 times the odds of perceiving tooth decline despite brushing compared with year 3 students ($P = 0.02$). Year 1 students had more than 13 times the odds of feeling the need to brush with strong strokes than did year 3 students ($P < 0.01$).

DISCUSSION

The oral health curriculum in Australia and New Zealand consists of a 3-year curriculum that covers basic science, as well as education for dental therapy, dental hygiene, and oral health promotion. Year 1 students take mainly didactic courses. As they progress to year 3, students have opportunities to participate in clinical practice at university, community, and rural clinics under the supervision of registered clinicians. This curriculum promotes positive oral health-related attitudes and behaviors to students and enables oral health students to act as valuable role models for their patients and to promote oral health for individuals and the community.

The results of this study suggest that education for oral health students has a significant effect. Year 3 students were less likely to "agree" with responses

to questions such as "I worry about the color of my teeth" (#3); "I think my teeth are getting worse despite my daily brushing" (#8); "I put off going to the dentist until I have toothache" (#15); and "I don't feel I've brushed well unless I brush with strong strokes" (#18). The exact logistic regression model revealed the biggest odds for question #18 where year 1 students had odds more than 13 times those of year 3 students. These results are consistent with studies focusing on dental students or oral hygiene students in other countries. The results for #8 are consistent with those in reports on dental students from Greece^[11] and Peru.^[15] The results for #18 are also consistent with those from a Colombian study.^[16] Another report,^[18] which compared dental hygiene and nursing students in Japan showed a significant decrease in "agree" responses to question #18 from dental hygiene students as their courses progressed, whereas there was no difference between first- and final-year nursing students.

Regarding the percentages of "agree" responses to #15, there was a notably low percentage except for the year 1 students at the University of Otago. Based on the responses, oral health students at the two universities studied seem to attend dental offices more frequently when compared with dental hygiene students in Japan,^[18] Korea,^[17] Jordan,^[19] and Saudi Arabia.^[20] The percentage of "agree" responses to #9 in all four responding groups was higher than 80%. This result is similar to that of a previous study of Australian dental students.^[10] These attitudes may be attributed to cultural differences, socioeconomic backgrounds, personal experiences, and dental health knowledge.

The practical implication of this study is that it may serve as a reference for academic institutions considering the implementation of curricula to prepare mid-level providers into becoming a significant workforce. Although 54 countries, both developed and developing, have adopted this workforce in their societies,^[4] controversy still exists over whether mid-level providers are adequately educated and competent to provide the appropriate level of care or not.^[21,22] However, one review has clearly stated that mid-level providers have abilities to harmlessly and competently perform a limited set of irreversible dental procedures at least as well as dentists or dental students.^[23] Moreover, results obtained in this study recognized that despite the limited 3-year curriculum, some aspects of modification of oral health attitudes and behaviors

for oral health students are consistent with those for dental students in other countries.^[9-16,19]

Dental disease is a silent epidemic among disadvantaged children, large portions of whom live in poverty or low-income households, as mentioned in the US Surgeon General's report, oral health in America.^[24] That report also mentioned tooth decay as the most common chronic disease in these children. The prevalence of dental disease is due to a lack of access to dental services and an insufficient public health infrastructure. Hence, it will become increasingly important to provide productive preventive treatment in collaboration with solving the access issue. Mid-level providers who are well-trained through an appropriate educational curriculum will have a significant potential to improve these issues by taking a significant role on the dental team.

CONCLUSIONS

Results from this study in Australia and New Zealand revealed that oral health students who had been educated with a 3-year curriculum had more positive oral health attitudes and behaviors than students who were at the beginning of their course. Well-trained mid-level providers on a dental team can play a key role in alleviating dental care access issues, thus benefiting both individuals and the community.

Financial support and sponsorship

NIH-U54GM104942.

Conflicts of interest

There are no conflicts of interest.

REFERENCES

1. McGlashan G, Watson DJ, Shanks S. Professionals complementary to dentistry: The expanding role of PCDs. *Dent Update* 2004;31:529-32.
2. Coates DE, Kardos TB, Moffat SM, Kardos RL. Dental therapists and dental hygienists educated for the New Zealand environment. *J Dent Educ* 2009;73:1001-8.
3. Satur J. A new oral health professional – The oral health therapist. In: Tsang A, editor. *Oral Health Therapy Programs in Australia and New Zealand*. Queensland, Australia: Knowledge Books and Software; 2010. p. 17-26.
4. Nash DA, Friedman JW, Mathu-Muju KR, Robinson PG, Satur J, Moffat S, *et al.* A review of the global literature on dental therapists. *Community Dent Oral Epidemiol* 2014;42:1-10.
5. Tsang AK, Walsh LJ. Oral health students' perceptions of clinical reflective learning – relevance to their development as evolving professionals. *Eur J Dent Educ* 2010;14:99-105.
6. Ford PJ, Farah CS. Oral health therapists: What is their role in Australian health care? *Int J Dent Hyg* 2013;11:22-7.
7. Satur J, Moffat S. A history of oral health practice (Dental Therapy and Dental Hygiene) in Australia and New Zealand. In: Tsang A, editor. *Oral Health Therapy Programs in Australia and New Zealand*. Queensland, Australia: Knowledge Books and Software; 2010. p. 1-16.

Tanny, *et al.*: Educational effect on oral health students' attitude

8. Kawamura M. Dental behavioral science. The relationship between perceptions of oral health and oral status in adults. *Hiroshima Daigaku Shigaku Zasshi* 1988;20:273-86.
9. Komabayashi T, Kwan SY, Hu DY, Kajiwara K, Sasahara H, Kawamura M. A comparative study of oral health attitudes and behaviour using the Hiroshima University – Dental Behavioural Inventory (HU-DBI) between dental students in Britain and China. *J Oral Sci* 2005;47:1-7.
10. Kawamura M, Iwamoto Y, Wright FA. A comparison of self-reported dental health attitudes and behavior between selected Japanese and Australian students. *J Dent Educ* 1997;61:354-60.
11. Polychronopoulou A, Kawamura M, Athanasouli T. Oral self-care behavior among dental school students in Greece. *J Oral Sci* 2002;44:73-8.
12. Peker I, Alkurt MT. Oral health attitudes and behavior among a group of Turkish dental students. *Eur J Dent* 2009;3:24-31.
13. Neeraja R, Kayalvizhi G, Sangeetha P. Oral health attitudes and behavior among a group of dental students in Bangalore, India. *Eur J Dent* 2011;5:163-7.
14. Yildiz S, Dogan B. Self reported dental health attitudes and behaviour of dental students in Turkey. *Eur J Dent* 2011;5:253-9.
15. Sato M, Camino J, Oyakawa HR, Rodriguez L, Tong L, Ahn C, *et al.* Effect of dental education on Peruvian dental students' oral health-related attitudes and behavior. *J Dent Educ* 2013;77:1179-84.
16. Jaramillo JA, Jaramillo F, Kador I, Masuoka D, Tong L, Ahn C, *et al.* A comparative study of oral health attitudes and behavior using the Hiroshima University-Dental Behavioral Inventory (HU-DBI) between dental and civil engineering students in Colombia. *J Oral Sci* 2013;55:23-8.
17. Kawamura M, Spadafora A, Kim KJ, Komabayashi T. Comparison of United States and Korean dental hygiene students using the Hiroshima university-dental behavioural inventory (HU-DBI). *Int Dent J* 2002;52:156-62.
18. Kawamura M, Ikeda-Nakaoka Y, Sasahara H. An assessment of oral self-care level among Japanese dental hygiene students and general nursing students using the Hiroshima University – Dental Behavioural Inventory (HU-DBI): Surveys in 1990/1999. *Eur J Dent Educ* 2000;4:82-8.
19. Al-Wahadni AM, Al-Omiri MK, Kawamura M. Differences in self-reported oral health behavior between dental students and dental technology/dental hygiene students in Jordan. *J Oral Sci* 2004;46:191-7.
20. Baseer MA, Rahman G, Al Kawaey Z, Al Awamy B, Al Manmeen Z, Al Shalaty F. Evaluation of oral health behavior of female dental hygiene students and interns of Saudi Arabia by using Hiroshima University Dental Behavioural Inventory (HU-DBI). *Oral Health Dent Manag* 2013;12:255-61.
21. Hinson P. Mid-level providers are not in the best interest of children. *Pediatr Dent* 2009;31:375-6.
22. American academy of pediatric dentistry analysis and policy recommendations concerning mid-level dental providers. *Pediatr Dent* 2010;32:21-6.
23. Phillips E, Shaefer HL. Dental therapists: Evidence of technical competence. *J Dent Res* 2013;92 7 Suppl:11S-5S.
24. U.S. Department of Health and Human Services. Oral Health in America: A Report of the Surgeon General. Rockville: U.S. Department of Health and Human Services, National Institute of Dental and Craniofacial Research, National Institutes of Health;2000.

